

## 参考文献

- [ 1 ] B.Jaouhari, Rev.Roum. The reaction of naphthalene with benzyl chloride over an MCM-41 solid acid catalyst: a kinetic study[J]. Chem., 1989, 34:1733.
- [ 2 ] D.Bhattacharya, A.K.Pandey, A.P.Singh. Recent developments of heterogeneous solid catalysts for liquid-phase Friedel-Crafts type benzylation reaction[J]. Stud. Surf. Sci. Catal., 1998, 113:737.
- [ 3 ] D.G.Batt, G.D.Maynard, J.J.Petraitis, et al. A one-pot synthesis of sulfenamides[J]. J. Med. Chem., 1990, 33:360.
- [ 4 ] A.Corma, M.J.Climent, H.Garcia, et al. Liquid-phase acetylation of tetralin with acetyl chloride over zeolites: inhibition of the reaction by the products[J]. Appl. Catal., 1989, 49:109.
- [ 5 ] A.Finiels, A.Calmettes, P.Geneste, et al. MCM-41 type molecular sieves as catalysts for the Friedel-Crafts acylation of 2-methoxynaphthalene[J]. Stud. Surf. Sci. Catal., 1993, 78: 595.
- [ 6 ] G.Harvey, G.Mäder. Acylation of Toluene with Acetic Anhydride over Beta Zeolites: Influence of Reaction Conditions and Physicochemical Properties of the Catalyst[J]. Collect. Czech. Chem. Commun., 1992, 57: 862.
- [ 7 ] F.Richard, J.Drouillard, H.Carreyre, et al. Solid Acid Catalysts for Acylation of Aromatics[J]. Stud. Surf. Sci. Catal., 1993, 78:601.
- [ 8 ] Boyapati M C, Mutyala S, Mannepalli L K, et al. Acylation of aromatic ethers with acid anhydrides in the presence of cation-exchanged clays[J]. Appl. Catal. A, 1998, 171:155-160.
- [ 9 ] Pratap T P, Kusum M M, Pradeep K, et al. Benzoylation of anisole over borate zirconia solid acid catalyst[J]. Catal. Commun., 2002, 3: 411-416.
- [ 10 ] Deutsch J, Trmschke A, Muller D, et al. Acetylation and benzoylation of various aromatics on sulfated zirconia[J]. J. Mol. Catal. A, 2004, 20:751-757.
- [ 11 ] Luiz A M Cardoso, Walter Alves Jr, et al. Friedel-Crafts reactions anisole with anhydride over HPW/SiO<sub>2</sub>[J]. J. Mol. Catal. A, 2004, 209(1-2):189-197.
- [ 12 ] Tagawa T, Amemiya J, Goto S. Chlorine-free Friedel-Crafts acylation of benzene with benzoic anhydride on insoluble heteropoly acid catalyst[J]. Appl. Catal. A, 2004, 257:19-23.
- [ 13 ] Firouzabadi H, Iranpoor N, Nowrouzi F. AIPW<sub>12</sub>O<sub>40</sub> as a non-hygroscopic Lewis acid catalyst for the efficient Friedel-Crafts acylation of aromatic compounds under solvent-less Conditions[J]. Tetra. Lett., 2004, 60:10843-10850.
- [ 14 ] IUPAC. Manual of Symbols and Terminology[J]. Pure Appl. Chem., 1972, 31:578.
- [ 15 ] Chiche B, Finiels A, Gauthier C, et al. Friedel-Crafts acylation of Toluene and p-xylene with Carboxylic Acids Catalyzed by Zeolites [J]. J. Org. Chem., 1986, 51:2128-2130.
- [ 16 ] Fereidon S X, Han Q. Encapsulation of food ingredients[J]. Food Sci. Nutri., 1993, 33(6):501-547.
- [ 17 ] Kresge C T, Leonowicz M E, Roth W J, et al. Ordered mesoporous molecular sieves synthesized by a liquid-crystal template mechanism[J]. Nature, 1992, 359:710-712.
- [ 18 ] Beck J S, Vartuli J C, Roth W J, et al. A new family of mesoporous molecular sieves prepared with liquid crystal templates[J]. J. Am. Chem. Soc., 1992, 114:10834-10843.
- [ 19 ] Yuan Y B, Nie J, Zhang Z B, et al. MCM-41 supported metal Bis[(perfluoroalkyl)sulfonyl] imides as Heterogeneous Catalysts for Aromatic Nitration[J]. Appl. Catal. A, 2005, 295(2):170-176.
- [ 20 ] Song C E, Lee S G. Supported Chiral Catalysts on Inorganic Materials[J]. Chem. Rev., 2002, 102(10): 3495-3524.
- [ 21 ] Amengl E, Cano M L, Corma A. Mesoporous aluminosilicate MCM-41 as a convenient acid catalyst for Friedel-Crafts alkylation of a bulky aromatic compound with cinnamyl J alcohol[J]. Chem. Soc. Chem. Commun., 1995, 5:519-520.
- [ 22 ] Kadgaonkar M D, Laha S C, Pandey R K, et al. Cerium containing MCM-41 materials as selective acylation and alkylation catalysts[J]. Catal. Today, 2004, 97:225-231.
- [ 23 ] Selvaraj M, Lee K, Yoo K S, et al. Synthesis of 2-acetyl-6-methoxynaphthalene using mesoporous SO<sub>4</sub><sup>2-</sup>/Al-MCM-41 molecular sieves[J]. Micro Meso. Mater., 2005, 81:343-355.
- [ 24 ] Chen L F, Norefia L E, Navarrete J, et al. Improvement of surface acidity and structural regularity of Zr-modified mesoporous MCM-41[J]. Mater. Chem. Phys., 2006, 97:236-242.
- [ 25 ] Conesa T D, Hidalgo J M, Luque R, et al. Influence of the acid-base properties in Si-MCM-41 and B-MCM-41 mesoporous materials on the activity and selectivity of ε-caprolactam synthesis[J]. Appl. Catal. A, 2006, 99:224-234.
- [ 26 ] Selvaraj M, Sinha P K, Pandurangan. Synthesis of dypnone using SO<sub>4</sub><sup>2-</sup>/Al-MCM-41 mesoporous molecular sieves[J]. Micro Meso. Mater., 2004, 70:81-91.
- [ 27 ] Selvaraj M, Lee K, Yoo K S, et al. Synthesis of 2-acetyl-6-methoxynaphthalene using mesoporous SO<sub>4</sub><sup>2-</sup>/Al-MCM-41 molecular sieves[J]. Micro Meso. Mater., 2005, 81:343-355.
- [ 28 ] 王志萍, 于世涛, 刘福胜等. Zr/Mo-MCM-41中孔分子筛催化2-甲氧基苯乙酰化反应[J]. 精细化工, 2000, 21(6):425-428.
- [ 29 ] 冯磊, 张月成等. MCM-41负载磷钨酸催化剂的制备及其对乙酰化反应的催化性能. 石油化工, 2008, 37(9):931-936.
- [ 30 ] K.M.Parida, S.S.Dash. Manganese containing MCM-41: Synthesis, characterization and catalytic activity in the oxidation of ethylbenzene[J]. J. Mol. Catal. A, 2009, 306:54-61.
- [ 31 ] 乔庆东, 李琪, 荆宇. 超微粒介孔分子筛Ti-MCM-41的制备及催化氧化乙苯合成苯乙酮和α-苯乙醇[J]. 精细化工, 2001, 18(8):459-462.
- [ 32 ] 冯磊, 赵继全, 韩芙蓉. 介孔分子筛SO<sub>4</sub><sup>2-</sup>/Al-MCM-41的制备及催化性能研究[J]. 分子催化, 2007, 21(增刊):641-642.
- [ 33 ] Zhao D Y, Huo J L, Stucky G D, et al. Triblock copolymer syntheses of mesoporous silica with periodic 50 to 300 angstrom pores[J]. Science, 1998, 279 (5350):548-552.
- [ 34 ] Flodstrom K, Wennerstrom H, Alfridsson V. Mechanism of mesoporous silica formation: a time-resolved NMR and TEM study of silica-block copolymer aggregation[J]. Langmuir, 2004, 10 (3):680-688.
- [ 35 ] Galo J D, Eduardo L C, Clément S, et al. Block copolymer-templated mesoporous oxides[J]. Current Opinion in Colloid & Interface Science, 2003, 8 (1):109-126.
- [ 36 ] Zhao X S, Lu G Q, Millar G J. Advances in mesoporous molecular sieve MCM-41[J]. Ind. Eng. Chem. Res., 1996, 35(7):2075-2090.
- [ 37 ] Zhao D Y, Feng J L, Huo Q S, et al. Tuning Mechanical Properties of Mesoporous Silicas Using Associating Homopolymers/Block Copolymer Blends as Templates[J]. Science, 1998, 279(5350):548.
- [ 38 ] Vinu A, Sawant D P, Ariga K, et al. Preparation and Catalytic Performances of Ultralarge Pore Ti-SBA-15 Mesoporous Molecular Sieves with Very High Ti Content [M]. Chem. Mater., 2005, 7(21):5339.
- [ 39 ] Li Y, Feng Zh C, Lian Y X, et al. A simple method to directly

- synthesize Al-SBA-15 mesoporous materials with different Al contents[J]. *Micro Meso. Mater.*, 2005, 84(1-3):41
- [40] Kim I, Han B H, Kim J S, et al. Advanced Surface Functionalization of Periodic Mesoporous Silica: Kinetic Control by Trisilazane Reagents[J]. *Catal. Lett.*, 2005, 101(3/4):249.
- [41] 吴淑杰, 黄家辉, 吴通好等. Al-SBA-15介孔分子筛的合成、表征及其在苯酚叔丁基化反应中的催化性能[J]. *催化学报*, 2006, 27(1):9.
- [42] Li Y, Zhang W H, Zhang L, et al. A simple method to directly synthesize Al-SBA-15 mesoporous materials with different Al contents[J]. *J. Phys. Chem. B*, 2004, 108(28):9739.
- [43] 韩宇, 肖丰收. Al-MSU-S介孔及介孔-微孔分子筛的合成、表征及其催化性能[J]. *催化学报*, 2003, 24(2):149.
- [44] 林森, 殷成阳, 王利丰等. Beta沸石分子筛前驱体修饰的SBA-15介孔分子筛及其催化性质[J]. *山东大学学报(理学版)*, 2005, 40(3):101.
- [45] Chen Y Y, Huang Y L, Xiu J H, et al. Titanium-Containing Mesoporous Materials: Synthesis and Application in Selective Catalytic Oxidation[J]. *Appl. Catal. A*, 2004, 273(1/2):185.
- [46] Wu P, Tatsumi T, Komatsu T, et al. Postsynthesis, Characterization, and Catalytic Properties in Alkene Epoxidation of Hydrothermally Stable Mesoporous Ti-SBA-15[J]. *Chem. Mater.*, 2002, 14(4):1657.
- [47] Zhang W H, Lu J Q, Han B, et al. Synthesis and NMR Characterization of Titanium and Zirconium Oxides Incorporated in SBA-15[J]. *Chem. Mater.*, 2002, 14(8):3413.
- [48] Du Y Ch, Sun Y Y, Di Y, et al. *J. Porous. Mater.*, 2006, 13(2):163.
- [49] Du Y Ch, Sun Y Y, Di Y, et al. *J. Porous. Mater.*, 2006, 13(2):163.
- [50] Zora El Berrichi, Leila Cherif, et al. Ga doped SBA-15 as an active and stable catalyst for Friedel-Crafts liquid-phase acylation[J]. *Appl. Catal. A*, 2006, 298:194-202.
- [51] A. Vinu, T. Krithiga, et al. Halogen-free acylation of toluene over FeSBA-1 molecular sieves[J]. *Micro Meso. Mater.*, 2007, 100:87-94.
- [52] He N Y, Bao S L, Xu Q H. Coordination and oxidation states of iron incorporated into MCM-41[J]. *Appl. Catal. A*, 1998, 169(1):29.
- [53] Baehafi K, Millet J M M, Benaïchouba B, et al. Benzoylation of benzene by benzyl chloride over iron mesoporous molecular sieves materials[J]. *J. Catal.*, 2004, 221(1):55.
- [54] Du Y Ch, Liu S, Ji Y Y, et al. *Catal. Today*, 2008, 131(1-4):70.
- [55] Xiong C R, Chen Q L, Lu W R, et al. Synthesis of framework-substituted Fe-HMS and its catalytic performance for phenol hydroxylation[J]. *Catal. Lett.*, 2000, 69(3/4):231.
- [56] 邹永存, 孟祥举, 于沂等. Fe(III)APO分子筛在芳香族化合物氧化反应中的催化活性[J]. *催化学报*, 2003, 24(8):624.
- [57] 刘红, 王志刚, 李浩. Fe-MSU-1介孔分子筛的合成及其催化苯酚羟基化性能[J]. *催化学报*, 2007, 28(3):222
- [58] Wang Y, Zhang Q H, Shishido T, et al. 介孔分子筛V-MCM-41的水热法制备与合成机理[J]. *J. Catal.*, 2002, 209(1):186.
- [59] Selvam P, Mohapatra S K. Oxidation of Cyclohexane with Molecular Oxygen Catalyzed by SiO<sub>2</sub> Supported Palladium Catalysts[J]. *J. Catal.*, 2006, 238(1):88.
- [60] Vinu A, Krithiga T, et al. Direct Synthesis of Well-Ordered and Unusually Reactive Fe-SBA-15 Mesoporous Molecular Sieves[J]. *Adv. Mater.*, 2004, 16(20):1817.
- [61] Chen H Y, Sachtler W M H. Reduction of NO<sub>x</sub> over Fe/ZSM-5 Catalysts: Adsorption Complexes and Their Reactivity toward Hydrocarbons[J]. *Catal. Today*, 1998, 42(1/2):73.
- [62] F. Martínez, G. Morales, A. Martín, et al. *Appl. Catal. A*, 2008, 347:169-178.
- [63] D. P. Sawant, M. Hartmann, S.B. Halligudi. Effect of pretreatment conditions on the catalytic activity of nano-sized TPA/ZrO<sub>2</sub> dispersed in SBA-15 channels in acetylation reactions[J]. *Micro Meso. Mater.*, 2007, 102:223-233.
- [64] 刘森, 杜振云, 肖霓等. 一锅法合成介孔材料Fe-SBA-15及其对Friedel-Crafts苯基化反应的催化性能[J]. *催化学报*, 2008, 29(5):468-472.
- [65] P.T.Tanev and T.J.Pinnavaia. A New Templating Route to Ordered Mesoporous Materials[J]. *Mater. Res. Soc. Symp. Proc.*, 1996, 371:63.
- [66] P.T.Tanev and T.J.Pinnavaia. A New Templating Route to Mesoporous Molecular Sieves[J]. *Science*, 1995, 267:865.
- [67] P.T.Tanev, M.Chibwe and T.J.Pinnavaia. Titanium-containing mesoporous molecular sieves for catalytic oxidation of aromatic compounds[J]. *Nature*, 1994, 368:321.
- [68] 朱志庆, 孙敏达, 卞炜. 金属元素改性HMS分子筛的研究进展[J]. *石油化工技术经济*, 2007, 25(5):31-35.
- [69] Pauly T R, Liu Y, Pinnavaia T J, et al. Textural mesoposity and the catalytic activity of mesoporous molecular sieves with wormhole framework structures[J]. *J. Am. Chem. Soc.*, 1999, 121(38):8835-8842.
- [70] Itoh A, Kodama T, Maeda S, et al. Selective acceleration for deprotection of benzyl ethers with Ti-HMS[J]. *Tetrahedron Lett.*, 1998, 39(51):9461-9464.
- [71] Reddy J, Sayari S A. Synthesis and spectroscopic studies of vanadium-containing molecular sieves [J]. *Chem. Commun.*, 1995, 2231-2234.
- [72] 廖世军, 季山, 简弃非等. 具有中孔结构的SO<sub>4</sub><sup>2-</sup>/Zr-HMS型固体超强酸的合成和结构表征[J]. *高等学校化学学报*, 2003, 24(3):469-472.
- [73] 张美英, 王乐夫, 黄仲涛. Cu-HMS分子筛的合成及其催化性能[J]. *催化学报*, 2003, 24(12):914-918.
- [74] 张美英, 纪红兵, 王乐夫等. 纳米氧化铜用于温和条件下的异丙苯氧化研究[J]. *化学通报*, 2004, 67(1):71-74.
- [75] 余新武, 自爱民. 负载型杂多酸盐催化剂HPA/TiO-Al<sub>2</sub>O<sub>3</sub>的制备及催化性能研究[J]. *化学与粘合*, 2001, 06:259-261.
- [76] 金振兴, 张庆勋. 载杂多酸催化剂PW/SiO<sub>2</sub>的制备与表征[J]. *现代化工*, 1999, (12):27-30.
- [77] G.D. Yadav, H.G. Manyar. Novelities of synthesis of acetoveratrone using heteropoly acid supported on hexagonal mesoporous silica[J]. *Micro Meso. Mater.*, 2003, 63:85-96.
- [78] Toume-Peteilh C, Lemer D.A., Chamay C, et al. *J. Phys. Chem.*, 2003, 4:281-286.
- [79] 林世军, 周齐晖, 盛小匕等. 介孔分子筛MSU-X合成条件对结构及热稳定性影响的XRD研究[J]. *高等学校工程学报*, 2006, 20:938-944.
- [80] Galis K W, A raujo J T, D ufK J, et al. *Adv. Mater.*, 1999, 11:142-145.
- [81] Xiao F S, Han Y, Yu Y, et al. Biosensors based on acetylcholinesterase immobilized on mesoporous silica thin films[J]. *J. Am. Chem. Soc.*, 2002, 24:888-889.
- [82] Inagaki S, Fukushima Y, Kuroda K. Adsorption of water vapor and hydrophobicity of ordered mesoporous silica FSM-16[J]. *Colloid Interface Sci.*, 1996, 180: 623.
- [83] Wang J, Zhang J, Asoo B Y, et al. Structure-Selective Synthesis of Mesostructured/Mesoporous Silica Nanofibers[J]. *J. Am. Chem.*

- Soc., 2003, 125:13966-13967.
- [ 84 ] Wang J E, Tsung C K, Hong W B, et al. General Synthesis of Ordered Nonsiliceous Mesoporous Materials[J]. Chem. Mater., 2004, 16:5169-5181.
- [ 85 ] Wang Z, Al-Daous M A, Kiesel E R, et al. Design and synthesis of 3D ordered macroporous ZrO<sub>2</sub>/Zeolite nanocomposites[J]. Micro Meso. Mater., 2009, 120:351-358.
- [ 86 ] Alberius EC A, Frindell K L, Hayward R C, et al. Sugar/Cationic surfactant templating of functional mesoporous metaloxides[J]. Chem. Mater., 2002, 14:3284-3294.
- [ 87 ] Crepaldi E L, Soler-Illia G, Grosso D, et al. Chem. Commun., 2001: 1582-1583.
- [ 88 ] Yamauchi Y, Ohsuna T, Kuroda K. Chem. Mater., 2007, 19: 1335-1342.
- [ 89 ] Xue T, Xu C L, Zhao D D, et al. J. Power. Sources, 2007, 164: 953-958.
- [ 90 ] Bach U, Lupo D, Comte P, et al. Graetzel电池用TiO<sub>2</sub>致密膜的制备和表征[J]. Nature, 1998, 395:583-585.
- [ 91 ] 航榕, 施剑林, 禹剑等. 有序介孔材料在分离科学中的应用[J]. 硅酸盐学报, 2000, 28:259-263.
- [ 92 ] Sarkar A., Pramanik S, Achariya A., et al. A novel sol-gel synthesis of mesoporous ZrO<sub>2</sub>-MoO<sub>3</sub>/WO<sub>3</sub> mixed oxides[J]. Micro Meso. Mater., 2008, 115:426-431.
- [ 93 ] Chen H R, Shi J L, Li Y S, et al. Synthesis of gold and silver nanoparticles for photonic applications[J]. Adv. Mater., 2003, 15:1078-1081.
- [ 94 ] Velu S, Kapoor M P, Inagaki S, et al. Self-assembled materials for catalysis[J]. Appl. Catal. A, 2003, 245:317-331.
- [ 95 ] Chen H R, Shi J L, Yang Y, et al. Appl. Phys. Lett., 2002, 81:2761-2763.
- [ 96 ] Marc M, Neil C, Geoffrey A O. Chem. Mater., 2001, 13:3564-3570.
- [ 97 ] E.G.Derouane, C.J.Dillon, D.Bethell, et al. Zeolite Catalysis as Solid Solvents in Fine Chemicals Synthesis[J]. J. Catal., 1999, 187:209-218.
- [ 98 ] D.Rohan, C.Canaff, E.Fromentin, et al. Acetylation of Anisole by Acetic Anhydride over a HBEA Zeolite-Origin of Deactivation of the Catalyst[J]. J. Catal., 1998, 177:296-305.